

ДО
НЧ „ГЕОРГИ КОНДОЛОВ 1914“ ГР. ЦАРЕВО
ГРАД ЦАРЕВО П.К.8260,
ОБЩ. ЦАРЕВО, ОБЛ. БУРГАС
УЛ. „ХАН АСПАРУХ“ № 34

**ПРЕДЛОЖЕНИЕ ЗА ИЗПЪЛНЕНИЕ
НА ПОРЪЧКАТА**
с предмет:

„Доставка и монтаж на сцена с прилежащо оборудване включващо: озвучителна техника, осветителна техника, електрозахранваща система и оборудване, за нуждите на Народно читалище „Георги Кондолов – 1914“ гр. Царево, по обособени позиции”
по Обособена позиция № 3 „ДОСТАВКА НА КОМПЮТЪРНО ОБОРУДВАНЕ И ЕКРАН”

АДМИНИСТРАТИВНИ СВЕДЕНИЯ НА УЧАСТНИКА:	
Седалище и адрес на управление: <ul style="list-style-type: none">Страна, код, град, общинаКвартал, ул., №,Телефон, факс,E-mail:	Р. България, гр. София, 1233 Банишора, ул. Козлодуй № 98 02 4912028, 02 4912029 sales@smartsoft.bg
Единен идентификационен код	832069304
Инд. № по ЗДДС	
Банкови сметки Обслужваща банка <ul style="list-style-type: none">Град, клон, офисТитуляр на сметкатаБанкова сметка (IBAN)Банков код (BIC)	Банка: Първа Инвестиционна Банка Румен Грифонов
Данни за представляващия /законния представител/ пълномощника: <ul style="list-style-type: none">Трите именаЛ.к. №, дата, изд. от, ЕГНДлъжностТелефон / факс / e-mail:	Румен Грифонов управител 02 4912028 rtt@smartsoft.bg

УВАЖАЕМИ ДАМИ И ГОСПОДА,

Предлагаме да изпълним предмета на горепосочената обществена поръчка съответствие с изискванията, заложи в Техническата спецификация от документално участие, изискванията на възложителя и нормативните изисквания за изпълнение на поръчката, по следния начин:

Обособена позиция № 3 „ДОСТАВКА НА КОМПЮТЪРНО ОБОРУДВАНЕ И ЕКРАН”
(Предмет на обособената позиция)

1. Предлагаме да доставим компютърно оборудване и екран (описаните/материалите) с технически параметри описани по-долу в Таблица № 1.1, като

001037

същите отговарят на минималните изисквания, заложи в Техническата спецификация на Възложителя.

Таблица № 1.1

Обособена позиция № 3 „ДОСТАВКА НА КОМПЮТЪРНО ОБОРУДВАНЕ И ЕКРАН” (Предмет на обособената позиция)				
№	Наименование	К-во /бр./	Предложение от участника. Описание на характеристиките*	Марка, модел, производител**
1		3	4	5
1	Настолен компютър с монитор	2	Монитор 21.5 инча FullHD, 1920x1080 LED Настолен компютър: 500GB 7200rpm SATA 4GB DDR4 2133MHz Четириядрен процесор AMD Ryzen 3 1200 - 3.40 GHz 8 MB cache Операционна система Windows 10 Home 64b. В комплект с USB мишка и USB клавиатура	ACER V226HQLB Смарт Софт ЕООД Smart Engine Office HLA1200R3
2	Преносим компютър	1	Процесор: Intel i5-7300HQ - четириядрен Памет: 8 GB DDR4 2133 MHz Видео карта: nVidia GTX1050 4 GB DDR5 Твърд диск: 1 TB SATA 5400 rpm Дисплей: 15,6" (39.62cm) Full HD (1920x1080) LED	ACER Aspire Nitro 5 AN515-51
3	Мултифункционални устройства	2	ЛАЗАРЕН МУЛТИФУНКЦИОНАЛЕН ПРИНТЕР ПРИНТЕР, СКЕНЕР, КОПИР И ФАКС ПРИНТЕР РЕЗОЛЮЦИЯ - 4800 X 600DPI СКОРОСТ НА ПЕЧАТ - 38 СТР/МИН ПЪРВАТА РАЗПЕЧАТКА – 5.6 СЕК СКЕНЕР - CIS, 1200 X 1200 DPI ФАКС	HP LaserJet Pro MFP M426fdn
4	Екран	36м ²	Електрически с размери височина бм., ширина бм.	Ligra Video Ele 066401

* В колона 4 се описват подробно техническите характеристики на предлаганите стоки.

** В колона 5 задължително се посочва производител.

2. Декларираме, че стоките, предмет на доставката са нови, неупотребявани, не рециклирани и фигурират в производствената листа на производителя към момента на подаване на настоящото предложение.

3. Поемаме ангажимент да осигурим доставка и монтаж на стоките до НЧ „Георги Кондолов – 1914“, гр. Царево, като същото ще бъде придружено със следните документи:

- документация на български език, която ще съдържа информацията относно изискванията и условията за съхранението му.

- сертификат за качество и маркировка, издадени от производителя или съответните контролни органи;

- инструкция на български език за експлоатация и безопасност при употреба;

- документ с пълно описание на техническите характеристики на български език.

(например: документ/сертификат или друг легитимен документ за произход, качество и/или маркировка, издадени от производител и/или съответните контролни органи; инструкция на български език за експлоатация и безопасност при употреба; документ с пълно описание на техническите характеристики на български език и тн.)

➤ МЯСТО НА ИЗПЪЛНЕНИЕ

Приемаме доставката да се извърши на територията на Република България в град Царево, на следния адрес: ул. „Хан Аспарух“ №34, НЧ „Георги Кондолов 1914“, гр. Царево.

➤ СРОК ЗА ИЗПЪЛНЕНИЕ

001038

В случай, че нашето предложение бъде прието и бъдем определени за изпълнител, ще изпълним предмета на поръчката в срок*** от 7 (словом **седем**) календарни дни, считано от датата на подписване на договора до датата на подписване на окончателен приемо-предавателен протокол за предаване на доставените стоки.

*** Срокт за изпълнение на поръчката не може да бъде по-кратък от 30 (тридесет) календарни дни по обособени позиции № 1 и № 2, съответно 7 (седем) календарни дни по обособени позиции № 3, № 4, № 5 и № 6 и по-дълъг от 50 (петдесет) календарни дни по обособени позиции № 1 и № 2, съответно 30 (тридесет) календарни дни по обособени позиции № 3, № 4, № 5 и № 6. Участник, предложил срок за изпълнение по-кратък от определения минимален, съответно по-дълъг от определения максимален срок, или

ГАРАНЦИОНЕН СРОК

1. Предлагаме гаранционен срок**** за съоръженията/стоките, предмет на нашата доставка, който е 3 (словом **три**) години, считано от датата на подписване на окончателния приемо-предавателен протокол.

**** Предложеният гаранционен срок е един и е общ за стоките, включени в предмета на обособената позиция.

2. Възникналите проблеми в рамките на гаранционния период ще отстраним в срок до 7 (седем) работни дни, считано от датата на получаване на уведомление за възникналия проблем.

3. При невъзможност за отстраняване на дефекта/повредата в срока по т.2, поемаме ангажимент да заменим временно ремонтирания модул/елемент с друг, който да се използва от възложителя през времето до завършване на ремонта/до отстраняване на повредата.

4. В случай че дефекта/повредата не може да бъде отстранен/а в едномесечен срок от датата на уведомлението, декларираме, че ще замени стоката (модул/елемент) с нова, която съответства на договореното.

5. Поемаме ангажимент всички разходи по гаранционното обслужване да бъдат за наша сметка.

➤ ДЕКЛАРИРАМЕ, ЧЕ:

1. Запознати сме с документацията за участие и я приемаме без възражения по условията и изискванията.

2. В случай че бъдем определени за изпълнител, ние ще представим в посочения от възложителя срок всички документи, необходими за подписване на договора, съгласно документацията за участие.

3. До подготвянето на официален договор, тази оферта заедно с писменото приемане от Ваша страна ще формират обвързващо споразумение между двете страни.

ПРИЛОЖЕНИЕ:

1. Снимков материал на предлаганите стоки.

Дата 08/05/2018г.

Име и фамилия Румен Трифонов

Длъжност управител

Подпис на декларатора-представяващ
участника

Наименование на участника и печат СМАРТ СОФТ ЕООД

001039

-СОФИЯ-


Monitor | V226HQL

Bright colors, sustainable vision

- Earth-friendly: recycled plastic, LED backlight, Acer EcoDisplay
- 21.5" Full HD Acer ComfyView display
- Acer eColor technology enriches color performance
- Extensive connectivity: DisplayPort™, VGA, and DVI
- 100 million:1 contrast ratio

The Acer V226HQL offers modern and professional design with reflection-free non-glare display that delivers vibrant visuals and comfortable viewing ideal for business users. This monitor has 21.5" non-glare screen with White LED Technology that ensures exceptional reliability and great savings delivering a better performance. V6 series features Acer Adaptive Contrast Management, a technology that fine-tunes each scene to make bright areas brighter and dark areas darker, optimizing contrast for more detailed moving images.


Besides, the Acer V226HQL comes with thin body and grooves design on the tray of base to put your stationary on.



001042





ВЯРНО С
ОРИГИНАЛА



Specifications

Model number	V226HQL	V226HQL A	V226HQL B
Display	21.5" (16:9)	21.5" (16:9)	21.5" (16:9)
Active display area	47.6 x 26.8 cm	47.6 x 26.8 cm	47.6 x 26.8 cm
Panel type	TN	VA	TN
Maximum resolution and refresh rate	1920 x 1080 @ 60 Hz	1920 x 1080 @ 60 Hz	1920 x 1080 @ 60 Hz
Glare	No	No	No
Response time	5 ms (on/off)	8 ms (G to G)	5 ms (on/off)
Contrast ratio (ACM)	100 million:1 max	100 million:1 max	100 million:1 max
Brightness	250 cd/m ²	250 cd/m ²	200 cd/m ²
Viewing angle (CR=10)	170° (H), 160° (V)	178° (H), 178° (V)	90° (H), 65° (V)
Colors	16.7 million	16.7 million	16.7 million
Bits	6-bit + Hi-FRC	6-bit + Hi-FRC	6-bit + Hi-FRC
Input signal	1. VGA 2. VGA + DVI (DVI w/ HDCP) 3. VGA + DVI + DisplayPort (v1.2)	1. VGA 2. VGA + DVI (DVI w/ HDCP) 3. VGA + DVI + DisplayPort (v1.2)	1. VGA 2. VGA + DVI (DVI w/ HDCP) 3. VGA + DVI + DisplayPort (v1.2)
VESA wall mount	100 x 100 mm	100 x 100 mm	100 x 100 mm
Vertical tilt	-5° to 25°	-5° to 25°	-5° to 25°
Speaker	2 x 1 W (optional)	2 x 1 W (optional)	2 x 1 W (optional)
Power supply (100 V – 240 V)	Internal	Internal	Internal
Power consumption (ENERGY STAR)	Off	0.35 W	0.35 W
	Sleep	0.45 W	0.45 W
	On	16.5 W	19.5 W



Full HD LED monitor

The 1920 x 1080 resolution of this LED monitor delivers excellent detail, making it perfect for advanced HD multimedia and productivity applications. LED monitors also consume less power and last longer than those with CCFL lamps. In addition, this monitor is mercury-free, making it safer for you and the environment.



Acer EcoDisplay

Acer monitors using white LED backlight technology minimize environmental impact while providing superior performance and durability. These monitors do not contain the toxic substance mercury, making them safer for the environment. They also consume less power and last longer than monitors with CCFL lamps, for good savings. As part of our commitment to sustainable operations and corporate social responsibility, Acer uses product-design principles and material-management methods that reduce the impact of our operations on the environment.

ComfyView

Acer ComfyView monitors reflect less ambient light to deliver vivid colors, reduced glare and more comfortable viewing, even over prolonged periods.



ComfyView



Acer eColor Management

A single button — the Empowering Key — gives full access to the Acer eColor Management on-screen interface. Acer eColor Management provides a variety of advanced controls for achieving the best-possible image quality.

About Acer

Established in 1976, Acer is an information and communication technology company dedicated to the research, design, marketing, sale and support of innovative products that enhance people's lives. Acer's green supply chain delivers environmentally friendly PCs, displays, projectors, servers, tablets and smartphones — tools our customers need to explore beyond limits and experience more. Ranked No. 2 for notebooks globally (Gartner 2011), Acer employs 8,000 people, and 2011 revenues reached US\$15.7 billion. Please visit www.acer.com for more information.




ВЯРНО С
ОРИГИНАЛА

001043



Specifications

Model number	V226HQL	V226HQL A	V226HQL B
Display	21.5" (16:9)	21.5" (16:9)	21.5" (16:9)
Active display area	47.6 x 26.8 cm	47.6 x 26.8 cm	47.6 x 26.8 cm
Panel type	TN	VA	TN
Maximum resolution and refresh rate	1920 x 1080 @ 60 Hz	1920 x 1080 @ 60 Hz	1920 x 1080 @ 60 Hz
Glare	No	No	No
Response time	5 ms (on/off)	8 ms (G to G)	5 ms (on/off)
Contrast ratio (ACM)	100 million:1 max	100 million:1 max	100 million:1 max
Brightness	250 cd/m ²	250 cd/m ²	200 cd/m ²
Viewing angle (CR=10)	170° (H), 160° (V)	178° (H), 178° (V)	90° (H), 65° (V)
Colors	16.7 million	16.7 million	16.7 million
Bits	6-bit + Hi-FRC	6-bit + Hi-FRC	6-bit + Hi-FRC
Input signal	1. VGA 2. VGA + DVI (DVI w/HDCP) 3. VGA + DVI + DisplayPort (v1.2)	1. VGA 2. VGA + DVI (DVI w/HDCP) 3. VGA + DVI + DisplayPort (v1.2)	1. VGA 2. VGA + DVI (DVI w/HDCP) 3. VGA + DVI + DisplayPort (v1.2)
VESA wall mount	100 x 100 mm	100 x 100 mm	100 x 100 mm
Vertical tilt	-5° to 25°	-5° to 25°	-5° to 25°
Speaker	2 x 1 W (optional)	2 x 1 W (optional)	2 x 1 W (optional)
Power supply (100 V – 240 V)	Internal	Internal	Internal
Power consumption (ENERGY STAR®)	Off	0.35 W	0.35 W
	Sleep	0.45 W	0.45 W
	On	16.5 W	19.5 W



Full HD LED monitor

The 1920 x 1080 resolution of this LED monitor delivers excellent detail, making it perfect for advanced HD multimedia and productivity applications. LED monitors also consume less power and last longer than those with CCFL lamps. In addition, this monitor is mercury-free, making it safer for you and the environment.



Acer EcoDisplay

Acer monitors using white LED backlight technology minimize environmental impact while providing superior performance and durability. These monitors do not contain the toxic substance mercury, making them safer for the environment. They also consume less power and last longer than monitors with CCFL lamps, for good savings. As part of our commitment to sustainable operations and corporate social responsibility, Acer uses product-design principles and material-management methods that reduce the impact of our operations on the environment.

ComfyView

Acer ComfyView monitors reflect less ambient light to deliver vivid colors, reduced glare and more comfortable viewing, even over prolonged periods.



ComfyView



Acer eColor Management

A single button — the Empowering Key — gives full access to the Acer eColor Management on-screen interface. Acer eColor Management provides a variety of advanced controls for achieving the best-possible image quality.

About Acer

Established in 1976, Acer is an information and communications technology company. Acer's green supply chain delivers environmentally friendly PCs, displays, projectors, servers, tablets and smartphones — tools our customers need to explore beyond limits and experience more. Ranked No. 2 for notebooks globally (Gartner 2011), Acer employs 8,900 people, and 2011 revenues reached US\$15.7 billion. Please visit www.acer.com for more information.

ВЯРНО С
ОРИГИНАЛА

001043





Регистрирай се Влез Кошица(0) Желани продукти(0)

Търсене

Търси

ЛВ. ▼

ИНТЕРАКТИВНО ОБОРУДВАНЕ

МРЕЖИ И КОМУНИКАЦИЯ

КОНСУМАТИВИ

ВИДЕОНАБЛЮДЕНИЕ

ЕЛЕКТРОНИКА

КОМПЮТЪРНА ТЕХНИКА

HELP DESK

КАТЕГОРИИ

Интерактивно оборудване
Мрежи и комуникация
Консумативи
Видеонаблюдение
Електроника
Компютърна техника
 Настолни
 Акcesoари
 Охладители,
 вентилатори, скоби
 Сървъри
 Лаптопи, таблети
 Монитори
 Компоненти
 Игри и софтуер

ПРОИЗВОДИТЕЛИ

Смарт Софт
ASUS
AXIS
CANON
D-Link
Defender
Eaton
Elite Screen
EPSON
Genius
HP
Intel
Lexmark
Ligra
Microsoft
Partteam
Repotec
Returnstar Interactive
Ricoh
Seagate
Виж всички

БЮЛЕТИН

Абонирай се за нашия бюлетин:

НАЧАЛО / КОМПЮТЪРНА ТЕХНИКА / НАСТОЛНИ / SMART ENGINE OFFICE HLA1200R3



Smart Engine Office HLA1200R3

Настолен компютър
Дата на доставка: 1-2 days
Производител: Смарт Софт

Бъди първия, който ще напише отзив за този продукт

Обади се за цена

Количество: 1

Купи

Добави към желани

Пиши на приятел

Сравни продукта

0

Спецификация:

Процесор AMD Ryzen 3 1200 – Quad Core 3.4GHz, 8MB Cache, s.AM4
Памет - 4 GB DDR4/2133MHz
Твърд диск - 500GB 7200 rpm, SATA 6Gb/s
Видео карта - интегрирана AMD Radeon™
Интерфейси - 1 x PCI Express 3.0 x16, 2 x PCI Express 2.0 x1, 1 x VGA, 1 x DVI, Audio in/out, LAN 10/100/1000 Mb/s, 4 x SATA3 6Gb/s
Клавиатура – 103but. USB, US/БДС
Мишка - 3-buttons with scroll, USB
Кутия Midi Tower, ATX, Audio Interface, 2 x USB
Захранване 400W, 12cm fan
Операционна система MS Windows 10 Home 64b

Продуктови спецификации

Производител на процесора	AMD
Тип на паметта	DDR4

Маркери

desktop (17) , AMD (4)

001044

ВЯРНО С
ОРИГИНАЛА

acer



Nitro 5

- NVIDIA® GeForce® GTX 1050Ti *
- 7th Gen Intel® Core™ i7 Processors *
- Advanced Cooling Technology
- Dolby Audio™ Premium

* Specifications may vary depending on model and/or region.



Faster
data transit



CoolBoost
technology



Premium home theater
sound anywhere.



Acer TrueHarmony™



Wide viewing angle



Up to 2X faster
Wireless




Resolution



ВЯРНО С
ОРИГИНАЛА

001045



Product views	<ol style="list-style-type: none"> Microphones Webcam Kensington lock slot Ethernet (RJ-45) port USB Type-C™ port (USB 3.1 Gen 1) HDMI® 2.0 port USB 3.0 port with power-off charging SD™ card reader Keyboard Touchpad Power button 15.6" LCD display Headset/speaker jack Two USB 2.0 ports Power indicator Battery indicator Power connector (DC-in)
Operating system^{1,2}	Windows 10 Home 64-bit
CPU and chipset¹	Intel® Core™ i7-7700HQ processor Intel® Core™ i5-7300HQ processor Intel® HM175 Mobile PCH chipset
Memory^{1,3,4,5}	Dual-channel DDR4 SDRAM support: • Up to 16 GB of DDR4 system memory, upgradable to 32 GB using two soDIMM modules
Display⁶	15.6" display with IPS (In-Plane Switching) technology, Full HD 1920 x 1080, high-brightness (300 nits) Acer ComfyView™ LED-backlit TFT LCD • 16:9 aspect ratio, NTSC 72% • Wide viewing angle up to 170 degrees • Ultra-slim design • Mercury free, environment friendly 15.6" display with IPS (In-Plane Switching) technology, Full HD 1920 x 1080, Acer ComfyView™ LED-backlit TFT LCD • 16:9 aspect ratio • Wide viewing angle up to 170 degrees • Ultra-slim design • Mercury free, environment friendly
Graphics¹	NVIDIA® GeForce® GTX 1050 Ti with 4 GB of dedicated GDDR5 VRAM NVIDIA® GeForce® GTX 1050 with 4 GB / 2 GB of dedicated GDDR5 VRAM
Audio	• Optimized Dolby® Audio Premium® sound enhancement • Acer TrueHarmony Plus technology for lower distortion, wider frequency range, headphone-like audio and powerful sound • Two built-in digital microphones • Compatible with Cortana with Voice • Certified for Skype for Business • Two built-in stereo speakers
Storage^{1,7}	Solid state drive • 512 / 256 / 128 GB, SATA 6 Gb/s SSD Hard disk drive • 1 TB / 2 TB 2.5-inch 5400 RPM Card Reader • SD™ / SDXC™ card reader (accepts cards up to 128 GB capacity)
Webcam¹	• HD webcam with 1280 x 720 resolution and 720p HD audio/video recording. • Super high dynamic range imaging (SHDR)
Wireless and networking¹	WLAN • Intel® Dual Band Wireless-AC, 802.11ac/a/b/g/n wireless LAN with Acer Nplify™ • Operates at 2.4 GHz and 5 GHz • 2x2 MIMO technology WPAN • Bluetooth® 4.0
Privacy control¹	BIOS user, supervisor, HDD passwords Kensington lock slot
Dimensions and weight⁸	Dimensions: 390 (W) x 266 (D) x 26.75 (H) mm (15.35 x 10.47 x 1.05 inches) Weight: • 2.7 kg (5.95 lbs.) with 4-cell battery pack, one hard drive and one SSD • 2.5 kg (5.51 lbs.) with 4-cell battery pack, one SSD
Power adapter and battery⁹	ACPI 5.0 CPU power management standard: supports Standby and Hibernation power-saving modes Power adapter: 3-pin 135 WAC adapter Battery: 48 Wh 3220 mAh 15.2 V 4-cell Li-ion battery Battery life up to 7 hours
Input and control	Keyboard: 103-/104-/107-key Acer FineTip keyboard with independent standard numeric keypad, international language support Touchpad: Multi-gesture touchpad, supporting two-finger scroll; pinch; gestures to open Cortana, Action Center, multitasking; application commands • Microsoft Precision Touchpad certification
Windows Desktop Apps¹⁰	• Acer Care Center • Acer Collection • Acer Configuration Manager • Acer Hover Access • Acer Portal • Quick Access • Office 2016
Warranty	One-year International Travelers Warranty (ITW)
1.	Specifications vary depending on model.
2.	64-bit software is required to enjoy the advantages of 64-bit processing.
3.	Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment.
4.	Memory speed may vary, depending on the CPU, chipset or memory fitted.
5.	A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
6.	All brands and product names mentioned herein include trademarks of their respective companies and may or may not be registered in your country.
7.	1 GB is 1 billion bytes, 1 TB is 1000 GB. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
8.	Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
9.	Listed battery life is based on MobileMark 2014® productivity mode testing with wireless on. Details of MobileMark 2014 testing are available at www.bapco.com . Battery life rating is for comparison purposes only. Actual battery life varies by model, configuration, application, power management settings, operating conditions, and features used. A battery's maximum capacity decreases with time and use. Bundled software may vary depending on hardware configuration, OS and regional availability.
10.	

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region. As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2017. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Intel, Intel Core, Core Inside, Pentium, and Pentium Inside are trademarks of Intel Corporation in the U.S. and other countries.

About Acer

Established in 1976, Acer is a hardware + software + services company dedicated to the research, design, marketing, sale, and support of innovative products that improve people's lives. Acer's product offerings include PCs, displays, projectors, servers, tablets, smartphones, and wearables. It is also developing cloud solutions in the Internet of Things. Acer is celebrating its 40th anniversary in 2016 and is one of the world's top 5 PC companies. It employs 7,000 people worldwide across 160 countries. Please visit www.acer.com for more information.

ВЯ
ОПН

МАРТ СООТ'ЕОХ
SmartSoft
-СООНЯ-

Data sheet

HP LaserJet Pro MFP M426f series

Impressive speed. Solid security.

Fast print, scan, copy, and fax performance, plus robust, comprehensive security built for how you work. This MFP finishes key tasks faster and guards against threats.¹ Original HP Toner cartridges with JetIntelligence give you more pages.²



HP LaserJet Pro MFP M426fdn



HP LaserJet Pro MFP M426fdw with optional 550-sheet paper tray



Highlights

- 38 ppm
- First page out from sleep/Auto-Off in 8 sec
- Leading duplex print speed of 30 ipm
- 50-sheet ADF with single pass, two-sided scanning; scan speed up to 47 ipm
- HP Auto-On/Auto-Off for low energy consumption
- 7.6 cm colour touchscreen with gesturing and apps
- Scan-to-email, -folder, -cloud, -USB
- LDAP, Private Printing, PIN Printing
- HP ePrint, AirPrint, Google Cloud Print, Wi-Fi Direct/NFC, Mopria-certified, Mobile Apps

Speed through more tasks. Keep data protected.

- Scan digital files directly to email, USB, network folders, and the cloud with preloaded business apps.³
- Breeze through multipage documents with two-sided printing that's the fastest in its class of devices.¹
- Grab pages and go – without waiting around. This MFP wakes up and prints faster than the competition.¹
- Control access to print jobs and help keep printing safe with security features like LDAP authentication, HP JetAdvantage Private Print or optional Job Storage with PIN printing.

Easy management. Efficient printing.

- Easily manage print jobs directly at the MFP – just tap and swipe the 7.6 cm touchscreen.⁴
- Easily print Microsoft® Word and PowerPoint® documents – directly from your USB drive.⁵
- Easily manage devices and settings using HP Web Jetadmin with a suite of essential management features.⁶
- Print using less energy than competitors – enhanced by Original HP Toner cartridges with JetIntelligence.⁷

More. Pages. Performance, and Protection.

- Get the most prints for your money – with Original HP High Yield Black Toner cartridges with JetIntelligence.²
- Count on consistent professional quality at high speeds with precision black toner.
- Help ensure you're getting the authentic HP quality you paid for with innovative anti-fraud technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.

Stay connected with easy wireless printing options

- Easily print from a variety of smartphones and tablets – generally no setup or apps required.⁸
- Count on wireless direct printing in the office – from mobile devices – without accessing the company network.⁹
- Help workers print with just a touch of their NFC-enabled mobile device to the printer – no network needed.¹⁰
- Easily access, print, and share resources with Ethernet and wireless networking.¹¹


ВЯРНО С
ОРИГИНАЛА



Product walkaround

HP LaserJet Pro MFP M426fdw shown

- 1. 50-sheet automatic document feeder (ADF)
- 2. Flatbed scanner: up to 216 x 297 mm paper
- 3. Intuitive 7.6 cm colour touchscreen (tilts up)
- 4. 150-sheet output bin
- 5. Easy-access USB port
- 6. Automatic two-sided printing
- 7. 100-sheet multipurpose tray 1
- 8. 250-sheet input tray 2
- 9. Power on/off button
- 10. Front door release button (access to HP JetIntelligence Toner cartridges)
- 11. Rear door (provides access to print path)
- 12. USB port for job storage and private printing
- 13. Hi-Speed USB 2.0 printing port
- 14. Ethernet network port
- 15. Telephone "line out" port
- 16. Fax "line in" port
- 17. 1200 MHz processor
- 18. Dust cover for tray 2 — flips up when A4 is loaded



Series at a glance



Model	HP LaserJet Pro MFP M426fdn	HP LaserJet Pro MFP M426fdw
Product number	F6W14A	F6W15A
Functions	Print, copy, scan, and fax	Print, copy, scan, and fax
Print speed	38 ppm 30 ipm duplex	38 ppm 30 ipm duplex
Automatic duplex printing	Yes	Yes
Single-pass two-sided scanning 50-sheet ADF	Yes	Yes
Standard paper input	100-sheet multipurpose tray 1; 250-sheet tray 2	100-sheet multipurpose tray 1; 250-sheet tray 2
Optional paper input	550-sheet tray 3	550-sheet tray 3
Networking	Built-in 10/100/1000 Ethernet	Built-in 10/100/1000 Ethernet, wireless 802.11b/g/n
Mobile printing capability	HP ePrint, Apple AirPrint, Mopria-certified, Google Cloud Print 2.0	Wireless direct printing, NFC touch-to-print, HP ePrint, Apple AirPrint, Mopria-certified, Google Cloud Print 2.0

001048

ВЯРНО С
ОРИГИНАЛА



Accessories, Supplies and Support

Supplies	CF226A HP 26A Black Original LaserJet Toner Cartridge 3,100 pages
	CF226X HP 26X High Yield Black Original LaserJet Toner Cartridge 9,000 pages
Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray
Service and support	U8TQ9E HP 3 year Next business day LaserJet M426 MFP Hardware Support
	U8TR2E HP 3 year Next business day Exchange LaserJet M426 MFP Service
	U8TR3E HP 3 year Return LaserJet M426 MFP Service
	U8TR4PE HP 1 year Post Warranty Next business day LaserJet M426 MFP Hardware Support
	U8TR5PE HP 1 year Post Warranty Next business day Exchange LaserJet M426 MFP Service
	U8TR6PE HP 1 year Post Warranty Return LaserJet M426 MFP Service

Technical specifications

Model	HP LaserJet Pro MFP M426fdn	HP LaserJet Pro MFP M426fdw
Product number	F6W14A	F6W15A
Functions	Print, copy, scan, fax	Print, copy, scan, fax
Print		
Print speed	Up to 38 ppm black (A4); Up to 30 ipm black duplex (A4)	
First page out from ready ¹	As fast as 5.6 sec black (A4, ready)	
First page out from sleep	As fast as 8.0 sec	
Print resolution	600 x 600 dpi, up to 4800 x 600 enhanced dpi black; HP FastRes 1200, HP ProRes 1200, 600 dpi	
Print technology	Laser	
Print Area	Print margins: Top: 5 mm; Bottom: 5 mm; Left: 4 mm; Right: 4 mm; Maximum print area: 215.9 x 355.6 mm	
Print languages	HP PCL 5, HP PCL 6, HP Postscript Level 3 emulation, direct PDF (v1.7) printing, URF, PCLM, PWG, Native Office	
Printer Smart Software Features	Auto-duplex printing; N-up printing; Collation; HP ePrint; Apple AirPrint™; Mopria certified; Google Cloud Print; HP Auto-On/Auto-Off Technology; Intuitive 7.5 cm (3") touchscreen control panel; Print from Cloud using business apps on the control panel; HP JetAdvantage Private Print; Optional Job Storage with PIN printing (requires a purchase of separate USB flash drive); Print from USB; JetIntelligence Cartridge Technology	Auto-duplex printing; N-up printing; Collation; HP ePrint; Apple AirPrint™; Mopria certified; Google Cloud Print; Wireless direct printing; HP Auto-On/Auto-Off Technology; Intuitive 7.5 cm (3") touchscreen control panel; Print from Cloud using business apps on the control panel; HP JetAdvantage Private Print; Optional Job Storage with PIN printing (requires a purchase of separate USB flash drive); Print from USB; JetIntelligence Cartridge Technology
Monthly duty cycle	Up to 80,000 pages (A4); Recommended monthly page volume: 750 to 4,000 (print); 750 to 4,000 (scan)	
Duplex printing	Automatic (standard)	Automatic (standard)
Fonts and typefaces	84 scalable TrueType fonts	
SureSupply supported	Yes	
Processor speed	1200 MHz	
Connectivity		
Standard	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network; Easy-access USB	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network; 1 Wireless 802.11b/g/n; Easy-access USB
Wireless	No	Yes, built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP/IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, FTP Print, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download	
Hard disk	No	
Memory	Standard: 256 MB; Maximum: 256 MB	
Copy		
Copier settings	Lighter/Darker; Two sided; ID copy; Optimise; Maximum number of copies: Up to 99 copies; Copy resolution: 600 x 600 dpi Reduce/Enlarge: 25 to 400%	
Copy speed	Up to 38 cpm black (A4)	
Scan		
	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: For Scan software (included in the box) support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPC-2000, TIFF, PNG, PDF; Searchable PDF, RTF, TXT); Twain version: Version 1.9 (legacy OS); Version 2.1 (Windows 7 or higher); Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 297 x 216 mm; Optical scan resolution: Up to 1200 x 1200 dpi	
	Flatbed, ADF	
	Up to 26 ppm/47 ipm (monochrome), up to 21 ppm/30 ipm (colour)	
Scannable area	Flatbed: Minimum media size: 48.8 x 48.8 mm; Maximum media size: 297 x 216 mm Scannable area (ADF): Minimum media size: 102 x 152 mm; Maximum media size: 216 x 355.6 mm	
Scanner Advanced Features	Scan-to-email; Scan-to-cloud; Scan-to-USB; Scan-to-network folder; LDAP email lookup; One-pass two-sided scanning ADF (50-sheet)	
Bit depth/ Grey scale levels	24-bit / 256	
Digital sending	Standard: Scan-to-email; Scan-to-network folder; Scan-to-Cloud	
Recommended monthly scan volume	750 to 4,000	750 to 4,000
Fax		
Fax	Yes, 33.6 kbps	Yes, 33.6 kbps
Fax specifications	Fax memory: 4 MB (250 xerex pages at standard resolution); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials)	
Fax smart software features	Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Polling; Junk barrier; Distinctive ring detection; Cover page wizard; Block fax; Billing codes; Save and load; Poll receive; Fax activity reports; Dial prefix setting; Print fax log; Digital Fax Setup Wizard; Fax Setup Wizard; HP Send Fax	

ВЯРНО С
ОРИГИНАЛА

martSoft
-СОФИЯ-

Model	HP LaserJet Pro MFP M426fdn		HP LaserJet Pro MFP M426fdw
Product number	F6W14A		F6W15A
Paper handling			
Media types	Paper (plain, EcoEffICIENT, light, heavy, bond, coloured, letterhead, preprinted, prepunched, recycled, rough), envelopes, labels, transparencies		
Paper size	Custom metric: Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported metric: Tray 1: A4, A5, A6, B5 (JIS), Envelope B5, Envelope C5, Envelope DL, custom size; Tray 2 & Tray 3: A4, A5, A6, B5 (JIS), custom size ADF: A4; 127 x 127 to 216 x 355.6 mm		
Paper handling	Standard input: 100-sheet Tray 1, 250-sheet input Tray 2 Standard output: 150-sheet output bin Optional/Input: Optional third 550-sheet tray ADF: Standard, 50 sheets		
Input capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with optional 550-sheet tray)		
Output capacity	Standard: Up to 150 sheets, Up to 10 envelopes, Up to 75 sheets Transparencies Maximum: Up to 150 sheets Envelopes: Up to 10 envelopes Transparencies : Up to 75 sheets		
Paper weight	Tray 1: 60 to 175 g/m²; Tray 2, optional 550-sheet Tray 3: 60 to 120 g/m² ADF: 60 to 90 g/m²		
Compatible operating systems			
Windows OS compatible with In-Box Driver: Windows 10 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 7 all 32 & 64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows OS compatible with Universal Print Driver (from http://www.HP.com): Windows 10 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 7 all 32 & 64-bit editions, Windows Vista all 32 & 64-bit editions (Home Basic, Premium, Professional, etc.); Mac OS (HP print drivers available from http://www.HP.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP, auto install): BOSS (3.0, 5.0), DEBIAN (6.0, 6.0.1, 6.0.2, 6.0.3, 6.0.4, 6.0.5, 6.0.6, 6.0.7, 6.0.8, 6.0.9, 6.0.10, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6), FEDORA (17, 18, 19, 20), LINUX MINT (13, 14, 15, 16, 17), SUSE LINUX (12.2, 12.3, 13.1), UBUNTU (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10); Linux OS (In-OS HPLIP, manual install): MANDRIVA LINUX (2010.0, 2011.0), MEPIS (6.0, 6.5, 7.0, 8.0), PCLINUXOS (2006.0, 2006, 2007.0, 2007, 2008.0, 2008, 2009.0, 2009), RED HAT (8.0, 9.0), RED HAT ENTERPRISE LINUX (5.0, 6.0, 7.0), SLACKWARE LINUX (9.0, 9.1, 10.0, 10.1, 10.2, 11, 12, 12.1), GOS (8.04.1), IGOS (1.0), LINPUS LINUX (9.4, 9.5), LINUX FROM SCRATCH (6); Other OS: UNIX			
Compatible network operating systems			
Windows OS compatible with In-Box Driver: Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32 & 64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or product-specific drivers from http://www.HP.com : Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), MS Windows Server 2012 R2 Terminal Services, Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, MS Windows Server 2012 Terminal Services, Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, MS Windows Server 2008 R2 SP1 Terminal Services, Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp 7.5, Citrix XenDesktop 5.6, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, MS Windows Server 2008 R2 Terminal Services, Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenDesktop 5.6, MS Windows Server 2008 Terminal Services, Citrix XenApp 5.0, Citrix XenApp 5.0 Feature Pack 2 & 3, MS Windows Server 2003 Terminal Services, Citrix Presentation, ServerTM 4.5, Citrix Presentation Server 4.0, MS Windows Server 2003 Terminal Services, Citrix Presentation Server 4.5, Citrix Presentation Server 4.0, Citrix MetaFrame® Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2 and 3); Novell Servers (http://www.novell.com/iprint): Novell Open Enterprise Server 11/SP1 /SP2, Novell Open Enterprise Server 2 for Linux, NetWare 6.5/SP8; Novell Clients (http://www.novell.com/iprint): Novell iPrint Client v5.4 for Vista, Win 7 & Win 8 (32 & 64-bit), Novell iPrint Client v5.4 for Win XP (32 & 64-bit)			
Mobile printing capability		HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0; Mobile apps	HP ePrint; Apple AirPrint™; Wireless direct printing; Mopria-certified; Google Cloud Print 2.0; Mobile apps
Minimum system requirements			
Windows: Windows 10 (32 & 64-bit), Windows 8/8.1 (32 & 64-bit), Windows 7 (32 & 64-bit): 1 GHz processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Windows Vista (32-bit): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Windows Server 2008 (64-bit) (SP1 or greater), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit) (SP1): 1 GHz 64-bit (x64) processor, 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Windows Server 2003 (32-bit) (SP1 or greater), Windows Server 2003 R2 (32-bit), Windows Server 2008 (32-bit) (SP1 or greater): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port Mac: OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite, Internet, USB, 1 GB available hard disk space, OS compatible hardware (for OS hardware requirements see http://www.apple.com)			
Software included			
Windows 7: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, HP Device Toolbox, HP Printer Status and Alerts, HP Product Improvement Study, HP Scan App and Driver, Reconfigure your HP Device, Scan to Email Wizard, Scan to Network Folder Wizard, Warranty and Legal Guide, User Guide; Windows 8+: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Scan App and Driver, Warranty and Legal Guide, User Guide, Reconfigure your HP Device; Windows XP, Windows Vista and associated servers: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Scan App and Driver, Warranty and Legal Guide, User Guide; Mac OS: Welcome Screen (directs users to http://www.HP.com or OS App Source for LaserJet Software)			
Printer management			
Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac); HP Device Toolbox			
Control panel			
7.5 cm (3") touchscreen Colour Graphic Display (CGD)			
Dimensions / Weights			
Printer dimensions	Minimum: 420 x 390 x 323 mm Maximum: 430 x 634 x 325 mm	Minimum: 420 x 390 x 323 mm Maximum: 430 x 634 x 325 mm	
Package dimensions (W x D x H)	497 x 398 x 490 mm	497 x 398 x 490 mm	
Printer Weight ²	12.86 kg	12.86 kg	
Package weight	15.5 kg	15.5 kg	
Operating environment			
Temperature: 15 to 32.5°C, Humidity: 30 to 70% RH			
Storage			
Temperature: -20 to 40°C, Humidity: 10 to 90% RH			
Acoustics ³			
Acoustic power emissions: 6.8 B(A) (printing at 38 ppm); Acoustic pressure emissions: 55 dB(A)			
Power			
Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 583 watts (print/copy), 9.1 watts (ready), 2.7 watts (sleep), 0.7 watts (Auto-On/Auto-Off, via USB connectivity), 0.1 watts (off)			
Energy savings feature technology			
Instant-on Technology; HP Auto-On/Auto-Off Technology			
Certifications			
CISPR 22:2008/EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010			
Warranty			
One-year commercial hardware warranty			
What's in the box			
HP LaserJet Pro MFP M426fdn; Preinstalled HP 26A Black LaserJet Toner Cartridge (3,100 pages); Getting Started Guide; Setup poster; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord; Phone cord; Built-in duplexer; Built-in fax		HP LaserJet Pro MFP M426fdw; Preinstalled HP 26A Black LaserJet Toner Cartridge (3,100 pages); Getting Started Guide; Setup poster; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord; Phone cord; Built-in duplexer; Built-in fax	
Replacement cartridges ⁵			
HP 26A Black LaserJet Toner Cartridge (3,100 pages) CF226A; HP 26X Black LaserJet Toner Cartridge (9,000 pages) CF226X			

001050

ВЯРНО С
ОРИГИНАЛА

VIDEO ELE PROJECTION SCREENS

with electrical command, varnished aluminium case

Professional electrical projection screens, characterized by excellent manufacturing quality and carefully selected materials. VIDEO ELE screens are particularly suitable for large environments; equipped for a large audience, in which high quality projections are required, such as, for example, lecture halls, conference rooms, cinemas, theaters, sport, cultural and musical event applications. VIDEO ELE screens are available with aluminum box (section mm. 145x145 painted light gray RAL 7035 same as for all visible parts, robust lateral sides and bottom steel counterweight) or without case (with anodized aluminum tube diameter mm. 150 and side brackets suitable for mounting on walls or ceilings). Both versions are supplied complete with: side brackets made of painted iron for mounting on walls and ceilings, up and down limit switches factory adjusted, electrical switch and installation, use and maintenance manual. VIDEO ELE can be produced with a wide range of projection fabrics and equipped on request with radio remote control, both with an external receiver or integrated in the motor. On request, it is also possible to customize the painting of the box specifying the RAL desired by the customer.



MADE IN ITALY

Technical Features




- Available with the following projection fabrics: Soft White, Transound, Retro, Soft Matt White in different projection formats 1: 1, 4: 3, 16: 9, 16:10 and with or without perimetrical black borders.
- Front lowering of the fabric in the standard configuration, on request, lowering of the fabric on the rear side of the screen case can be supplied.
- Aluminum box painted light gray RAL7035 section mm. 145x145, open on the bottom side.
- On the version without screen case, the diameter of the winding tube is mm. 150
- On request, it is also possible to customize the painting of the box specifying the RAL desired by the customer.
- Internal anodized aluminum tube diam. mm. 100, which includes the electric motor.
- Somfy single phase electric motor, CE approved, 230V-50Hz, power consumption 120 W 0.50 A, protection class IP 44, 17 rpm, mounted on the left side of the screen. 5-year warranty from date of purchase.
- Up/down limit switches factory adjusted. Possibility to change the standard settings if necessary. The screen can also be stopped at intermediate heights, by acting on the electric switch.
- Wall and ceiling mounting brackets made of galvanized steel, these can be positioned along the whole length of the box (version with screen case).
- Side brackets for wall or ceiling mounting, made of steel painted light gray RAL7035 (version without box).
- Side caps in painted steel gray RAL 7035.
- Counterweight steel painted light gray RAL 7035.
- Screens supplied with electric inverter for lowering and lifting of the projection fabric.
- Available upon request with radio remote control with external receiver or integrated in the screen motor.
- Screen CE certified, with full warranty of 12 months from date of purchase to the conditions stated in the manual of use and maintenance.
- Screen packed in a sturdy wooden box (version with screen case) or in a cardboard box "volcano" and strengthening wooden board support.

ВЯЖОЦ
ОРИГИНАЛА

SMART COOT" EOOD
SmartSoft.
-СОФЯ-

VIDEO ELE PROJECTION SCREENS

with electrical command, varnished aluminium case



CODICE/TELA

SOFT WHITE	TRANSOUND	RETRO	SOFT MATT WHITE	SCREEN NAME	RATIO	SIZE (AxB)	VIEWING AREA (A'x B'/O'')	SCREEN CASE	PACKING	NET WEIGHT	GROSS WEIGHT
"VIDEO ELE" PROJECTION SCREENS WITHOUT SCREEN CASE AND BLACK BORDERS											
069401	069421	069439	069443	VIDEO ELE 500X500	1:1	500X500	500X500/278"	522x25x17	530x31x18	77	90
066401	066421	066439	066443	VIDEO ELE 600X600	1:1	600X600	600X600/334"	622x25x17	630x31x18	84	98
066501	066521	066539	066543	VIDEO ELE 700X700	1:1	700X700	700X700/390"	722x25x17	730x31x18	98	115
069201	069221	069239	069243	VIDEO ELE 500X375	4:3	500X375	500X375/246"	522x25x17	530x31x18	77	90
069701	069721	069739	069743	VIDEO ELE 600X450	4:3	600X450	600X450/295"	622x25x17	630x31x18	84	98
069901	069921	069939	069943	VIDEO ELE 700X525	4:3	700X525	700X525/344"	722x25x17	730x31x18	98	115
065601	065621	065639	065643	VIDEO ELE 500X281	16:9	500X281	500X281/226"	522x25x17	530x31x18	77	90
066201	066221	066239	066243	VIDEO ELE 600X338	16:9	600X338	600X338/271"	622x25x17	630x31x18	84	98
067301	067321	067339	067343	VIDEO ELE 700X394	16:9	700X394	700X394/316"	722x25x17	730x31x18	98	115
065501	065521	065539	065543	VIDEO ELE 500X313	16:10	500X313	500X313/232"	522x25x17	530x31x18	77	90
066301	066321	066339	066343	VIDEO ELE 600X375	16:10	600X375	600X375/279"	622x25x17	630x31x18	84	98
067201	067221	067239	067243	VIDEO ELE 700X438	16:10	700X438	700X438/325"	722x25x17	730x31x18	98	115
"VIDEO ELE" PROJECTION SCREENS WITHOUT SCREEN CASE AND WITH 5 CM BLACK BORDERS											
069201CBB	-	-	069243CBB	VIDEO ELE 490X368	4:3	500x393	490X368/241"	522x25x17	530x31x18	77	90
069701BB	-	-	069743BB	VIDEO ELE 600x468	4:3	600x468	590x443/290"	622x25x17	630x31x18	84	98
069901BB	-	-	069943BB	VIDEO ELE 700x543	4:3	700x543	690x518/340"	722x25x17	730x31x18	98	115
065601CBB	-	-	065643CBB	VIDEO ELE 490X276	16:9	500x331	490X276/221"	522x25x17	530x31x18	77	90
066201BB	-	-	066243BB	VIDEO ELE 600x357	16:9	600x357	590x332/267"	622x25x17	630x31x18	84	98
067301BB	-	-	067343BB	VIDEO ELE 700x413	16:9	700x413	690x388/312"	722x25x17	730x31x18	98	115
065501CBB	-	-	065543CBB	VIDEO ELE 490X307	16:10	500x332	490X307/228	522x25x17	530x31x18	77	90
066301BB	-	-	066343BB	VIDEO ELE 600x394	16:10	600x394	590x369/274"	622x25x17	630x31x18	84	98
067201BB	-	-	067243BB	VIDEO ELE 700x456	16:10	700x456	690x431/320"	722x25x17	730x31x18	98	115
ACCESSORIES AND SPARE PARTS											
090015	REMOTE RADIO CONTROL HOME (receiver + transmitter) working range 60 meters									0,5	0,6
090003	PAIR OF SPACING BRACKETS FOR WALL MOUNT from 25 cm (canvas @ 22 cm from the wall)									0,5	1,0
090006	INVERTER fixed positions, stop button, mounting to bump									0,9	1,0
090007	PAIR OF SUSPENSION BRACKETS (besides those standard supplied)									0,2	0,3
090025	CEILING BRACKETS KIT FOR 6 M SCREENS (FOR MODEL WITH SCREEN CASE ONLY)									5,1	-
090026	WALL BRACKETS KIT FOR 6 M SCREENS (FOR MODEL WITH SCREEN CASE ONLY)									4,7	-
090027	CEILING BRACKETS KIT FOR 7 M SCREENS (FOR MODEL WITH SCREEN CASE ONLY)									6,4	-
090028	WALL BRACKETS KIT FOR 7 M SCREENS (FOR MODEL WITH SCREEN CASE ONLY)									5,9	-

Size, in cm, weights expressed in kilograms, diagonal expressed in inches (")

ВЯРНО С
ОРИГИНАЛА

SMART SOFT EOOD
SmartSoft
-СОФИЯ-

001052